

STAR™ total ankle

Implant with confidence

30,000+

Construct sales **world wide**¹

34+

Years of **clinical experience**²

225

Ways to match patient anatomy with the STAR 3-piece **decoupled design**³

94

% survivorship after **12.6 years**⁴

1

Most **widely implanted** total ankle replacement in the world⁵



Visit us at footankle.stryker.com or email us at footandankle@stryker.com.

References:

1. Includes world-wide implantations of all generations; newest generation has over 30,000 world-wide since 1998.
2. Gougoulas, N., Khanna, A., & Maffulli, N. (2008). History and evolution in total ankle arthroplasty. *British Medical Bulletin*, 111-151.
3. STAR Op Tech.
4. Jastifer, J, Coughlin, M, Long-Term Follow-Up of Mobile Bearing Total Ankle Arthroplasty in the United States, *FAI*, 2015, Feb;36(2): 143-50.
5. Only implant available in the US, Europe, Australia and China.

A surgeon must always rely on his or her own professional clinical judgment when deciding whether to use a particular product when treating a particular patient. Stryker does not dispense medical advice and recommends that surgeons be trained in the use of any particular product before using it in surgery. The information presented is intended to demonstrate the breadth of Stryker product offerings. A surgeon must always refer to the package insert, product label and/or instructions for use before using any Stryker product. Products may not be available in all markets because product availability is subject to the regulatory and/or medical practices in individual markets. Please contact your Stryker representative if you have questions about the availability of Stryker products in your area. Stryker Corporation or its divisions or other corporate affiliated entities own, use or have applied for the following trademarks or service marks: STAR, Stryker. All other trademarks are trademarks of their respective owners or holders.

stryker

STAR™ total ankle

Implant with confidence

30,000+

Construct sales **world wide**¹

34+

Years of **clinical experience**²

225

Ways to match patient anatomy with the STAR 3-piece **decoupled design**³

94

% survivorship after **12.6 years**⁴

#1

Most **widely implanted** total ankle replacement in the world⁵



Proven. Flexible. Supported.

Visit us at footankle.stryker.com or email us at footandankle@stryker.com.

References:

1. Includes world-wide implantations of all generations; newest generation has over 30,000 world-wide since 1998.
2. Gougoulas, N., Khanna, A., & Maffulli, N. (2008). History and evolution in total ankle arthroplasty. *British Medical Bulletin*, 111-151.
3. STAR Op Tech.
4. Jastifer, J, Coughlin, M, Long-Term Follow-Up of Mobile Bearing Total Ankle Arthroplasty in the United States, *FAI*, 2015, Feb;36(2): 143-50.
5. Only implant available in the US, Europe, Australia and China.

A surgeon must always rely on his or her own professional clinical judgment when deciding whether to use a particular product when treating a particular patient. Stryker does not dispense medical advice and recommends that surgeons be trained in the use of any particular product before using it in surgery. The information presented is intended to demonstrate the breadth of Stryker product offerings. A surgeon must always refer to the package insert, product label and/or instructions for use before using any Stryker product. Products may not be available in all markets because product availability is subject to the regulatory and/or medical practices in individual markets. Please contact your Stryker representative if you have questions about the availability of Stryker products in your area. Stryker Corporation or its divisions or other corporate affiliated entities own, use or have applied for the following trademarks or service marks: STAR, Stryker. All other trademarks are trademarks of their respective owners or holders.